

Reliability Since 1987



INDEX	1
PRODUCT FAMILY: COMPUTER CABLES & AUDIO CABLES	2
PRODUCT FAMILY: TELEPHONE ASSEMBLY SERIES	3
USB CABLE	4
Category 5 Cable Assembly	5~6
CAT 5 SERIES	7
Wire Harness	8
Audio Cable	9
D-Sub Cable	10
TELEPHONE CORDS	19~21

Superb Quality And The Best Price

We are a specialist manufacturer of computer apaptor and computer cable. you will be assured of high quality products at reasonable prices made to your samples and speciflcations.

Contact us today for more details.




LINE TECH INDUSTRIAL CO., LTD.

No 82-7, Sec. 1, Kung Fu Rd., San Chung area, New Taipei City, Taiwan, R.O.C.
TEL: 886-2-2999-0290 Fax: 886-2-2999-2808
<http://www.linetechnology.com.tw> E-mail: sales@linetechnology.com.tw
<http://www.linetechnology.com.tw> E-mail: albert@linetechnology.com.tw

Superb Quality And The Best Price

We are a specialist manufacturer of telephone accessories. You will be assured of high quality products at reasonable prices made to your samples and specifications. Contact us today for more details.



LINE TECH INDUSTRIAL CO., LTD.

No. 82-7, Sec. 1, Kung Fu Rd., San Chung area, New Taipei City, Taiwan, R.O.C.
 TEL: 886-2-2999-0290 Fax: 886-2-2999-2808
<http://www.linetechnology.com.tw> E-mail: sales@linetechnology.com.tw
 E-mail: albert@linetechnology.com.tw



► USB Cable



AM To Type C*2 To MC BM



USB AM To Micro BM ST



USB AM To Micro BM RA



USB AM To Micro AM ST



USB AM To USB AM



USB AM To USB AF



USB AM To USB BM



Mini USB M To Mini USB F




iPhone To USB AM




► USB Cable 1

USB Type C Cable (USB A/M To USB Type C)




28/28, USB AM+Micro USB AM S/T, BL






► USB Cable 2

28/24 USB AM+Micro USB BM R/A, BL+F*2




28/24 USB AM+Micro USB BM S/T, BL+F*2






► USB Cable 3

28/24 USB AM 2.0+USB BM 2.0, BE



28/28 MN USB M 1.0+MN USB F 1.0, BL






► Category 5 Cable Assembly

Description


- 75 °C, 300V CMX, CM, CMR rated PVC at LSHF jacket.
- Category 5 compliant according in EIA / TIA 568A & ISO / IEC IS 11801 specifications.
- FTP meets EMC standard EN 55022 / Class B.
- Assembled with RJ45 50u" gold plating according to IEC 603.8 / Class A.
- 100% short-circuit and continuity tested.
- Wiring is available in T568A, T568B, Token Ring, Cross-over versions.
- RJ45 available in shielded and unshielded types.
- PVC jacket available in white, blue, red, green, gray, yellow, beige, violet, orange
9 different colors.
- Available in different lengths from 1m to 100. Custom length supported.
- Third party verified to EIA / TIA 568A Category 5 standard.







► Category 5 Cable Assembly

8P8C To 8P8C Cat 5E STP Cable




8P8C To 8P8C Cat 5E UTP Cable







CA 01
PLASTIC WALL PLATE FOR
KEYSTONE JACK (1 PORT)




CA 02
PLASTIC WALL PLATE FOR
KEYSTONE JACK (2 PORTS)




CA 03
PLASTIC WALL PLATE FOR
KEYSTONE JACK (3 PORTS)




CA 04
PLASTIC WALL PLATE FOR
KEYSTONE JACK (4 PORTS)




CA 06
PLASTIC WALL PLATE FOR
KEYSTONE JACK (6 PORTS)




CA 07
BNC INSER



CA 08
BNC INSER



CA 20
KEYSTONE JACK




CA 21
KEYSTONE JACK



► Custom Wire Harness


- UL Spec Selectable (E166160)
- Custom Design
- Components Brand Appointable (e.g. Molex / Samtec / Tyco, etc)






► Audio Cable

RCA Plug M*2+RCA Plug F*2




Noul 28 (7/0.12TC)+S (43/0.12TC), 3.5M*2






► D-Sub Cable

DB9M-DB9F




HDB15 Cable, Male to Female



3001 FLAT CABLE-TINSEL
3002 FLAT CABLE-COPPER
-2C, 4C, 6C, 8C
-7', 10', 14', OR ANY


MOD PLUG ON ONE END, OPTION ON THE OTHER



L: PLS INDICATE LENGTH
A: SEE PAGE 17



3011 FLAT CABLE-TINSEL
3012 FLAT CABLE-COPPER
-2C, 4C, 6C, 8C
-7', 10', 14', OR ANY

MOD PLUG ON BOTH ENDS, INCERTED TYPE




3021 FLAT CABLE-TINSEL
3022 FLAT CABLE-COPPER
-2C, 4C, 6C, 8C
-7', 10', 14', OR ANY

MOD PLUG ON BOTH ENDS, DIRECT TYPE




3206 MODULAR EXTENSION CORD WITH
DUPLEX JACK

-4C, 6C, 8C
-14'
-25'



3207 MODULAR EXTENSION CORD WITH
SINGLE JACK

-4C, 6C, 8C
-14'
-25'




3207 SJ+Y EXTENSION CORD

-4C, 6C, 8C





► TELEPHONE CORDS





3306 FLAT CABLE-TINSEL
3307 FLAT CABLE-COPPER
-2C, 4C, 6C, 8C
-7', 10', 14', OR ANY

MOD PLUG ON ONE END, SPADE LUGS
ON THE OTHER SIDE
EX:3306-4C-14'
FLAT CABLE, TINSEL, 14' LONG





4001 COIL CORD-TINSEL
4002 COIL CORD-COPPER
-4P2C/4C, 6P4C/6C, 8P6C/8C
-7', 14', 25', OR ANY

MOD PLUG ON BOTH ENDS
EX:4001-4P4C-7'
TINSEL COIL CORD, 4P4C PLUGS
ON BOTH ENDS, 7' LONG



4003 COIL CORD-TINSEL
4004 COIL CORD-COPPER
-4P2C/4C, 6P4C/8C, 8P6C/8C
-7', 14', 25', OR ANY


MOD PLUG ON ONE ENDS
EX:4003-6P6C-14'
TINSEL COIL CORD, 8P6C PLUG
ON ONE ENDS, AND OPTION ON THE
OTHER, 14' LONG



3400 CABLE WITH SPOOL
-100M
-200M
-300M OR ANY








3401 CABLE WITH PE FILM
-100M
-200M
-300M OR ANY



3402 CABLE WITH CABLE TIE
-2M, 3M
-4.2M, 7.5M
-15M, 30M OR ANY



TELEPHONE CABLE & CORDAGE



HOW TO ORDER PART NO-X-XX-XX-XXX-XX

SPECIFICATION

A=28AWG UL TYPE
B=28AWG NON-UL TYPE
C=26AWG NON-UL TYPE
D=24AWG UL TYPE
E=24AWG NON-UL TYPE

COLOR

WH=WHITE BL=BLUE
BK=BLACK YL=YELLOW
SV=SILVER RD=RED
GR=GRAY GY=GREY
IV=IVORY GN=GREEN

LENGTH

01=150FT/REEL
03=300FT/REEL
05=600FT/REEL
10=1000FT/REEL

CABLE TYPE

URT=UTP STRANDED
URS=UTP SOLID
SRT=S-UTP STRANDED
SRS=S-UTP SOLID
SST=S-STP STRANDED
SSS=S-STP SOLID

CATEGORY

03=C3 CABLE
04=C4 CABLE
05=C5 CABLE
00=STANDARD CABLE